


<b>Model No.</b> CK2009 Noise Barrier Mat	<b>Best Soundproof Noise Blanket for Sound Block and Sound Reduction</b>	
<b>General Applications:</b>	Construction, Marine (Field) covers, Storage covers and many other applications	
<b>Colors:</b>	Yellow, Sky Blue, Green, Orange, Dark Green, White, Grey	
<b>Available Grades:</b>	Fire-Retardant, Ultra-Violet, Anti-Mildew, Anti-Cold, Sound Insulated	
<b>Type of Products:</b>	Roll Type	
<b>Flammability Test Method:</b>	BS 476 PART 7:1997 Class2, BS5867-2 Type B	
<b>Sound Reduction Method:</b>	ISO 10140-2-2010	
<b>Sizes:</b>	1Mx2M / Tailor-made any sizes	<b>Weight:</b> 3 or 5 or 8 (kg/m <sup>2</sup> )

Frequency f (Hz)	Airborne Sound Pressure Level (dB)
100	15.6
125	18.8
160	20.1
200	20.5
250	21.9
315	22.6
400	23.3
500	24.3
630	24.7
800	26.0
1000	24.6
1250	24.7
1600	25.0
2000	26.8
2500	27.3
3150	26.4
4000	28.0
5000	29.0
<b>Rw (C;Ctr)</b>	<b>26 (-1;-2)</b>



Fabric Detail 網布規格	1000D x 1000D x 20 x22			
Item 項目名稱	Test Method 執行標準	Unit 單位	Value 數據	
Thickness 厚度	DIN53353	mm	1.0	
Total Weight 總重量	DIN53352	g/m2	1132.2	
Tensile Strength 拉伸強度	DIN53354	N/5cm	經 Warp	3040
			緯 Weft	2549
Elongation at Break 斷裂伸長率	DIN53354	%	經 Warp	17.3
			緯 Weft	23.3
Tear Strength 撕裂強度	DIN53363	N	經 Warp	448
			緯 Weft	374
Adhesion of Coating Strength 剝離負荷	DIN53357	N/5cm	經 Warp	123
			緯 Weft	108
Remarks 備註				

This technical data is offered as helpful suggestion only. It's accurate to the best of our knowledge at time of printing.



祥記帆布工程有限公司  
Cheung Kee Canvas Ltd.

G/F., 352 Reclamation St., Kowloon, Hong Kong.  
香港九龍新填地街 352 號地下  
Tel: 2385 2644, 2780 7505 Fax: 2771 4599  
url: <https://www.ckcanvasltd.com> email: [contact@ckcanvasltd.com](mailto:contact@ckcanvasltd.com)

# Best Soundproof Noise Blanket for Sound Block and Sound Reduction



## WHAT'S INSIDE?

**THE ULTIMATE DEFENSE AGAINST NOISE** 

Talking Noise 


Construction 

Loud Songs / Music 

All reduced to  a **MINIMUM!**

Noise Insulation Net

✓ ABSORBS ✓ BLOCKS ✓ DEFLECTS all NOISES!



祥記帆布工程有限公司  
Cheung Kee Canvas Ltd.

G/F., 352 Reclamation St., Kowloon, Hong Kong.  
香港九龍新填地街 352 號地下  
Tel: 2385 2644, 2780 7505 Fax: 2771 4599  
url: <https://www.ckcanvasltd.com> email: [contact@ckcanvasltd.com](mailto:contact@ckcanvasltd.com)