

Motorcycle Tie Down Straps

RB

CT02-606W2F

1" X 6' Straps
with Coated S Hook
Loading Capacity 1,200lbs



CT02-606W2F-ST

1" X 6' Straps
with Coated S Hook + Loop End Tail
Loading Capacity 1,200lbs



CT02-606W2NK

1" X 6' Straps
with Coated S Hook + Keeper
Loading Capacity 1,200lbs



CT02-606W2NK-ST

1" X 6' Straps
with Coated S Hook + Keeper + Loop End Tail
Loading Capacity 1,200lbs



CT04-606W2F-ST

1.35"/35mm" x 6' Straps
with Coated S Hook ,
+ Loop End Tail
Loading Capacity 1,500lbs



CT04-606W2NK-ST

1.35"/35mm x 6' Straps
with Coated S Hook + Keeper
+ Loop End Tail
Loading Capacity 1,500lbs



CT11-906W2F

2" X 6' Straps
with Coated S Hook
Loading Capacity 1,980lbs



RT03-220W14

1.37" x 20' Straps
with Twin J Hook,
Loading Capacity 4,000lbs



RT11-1506W3D

1" x 6' Straps
with Wire J Hook + D-Ring
Loading Capacity 3,000lbs



RT11-1512W2F

1" x 12' Straps
with Coated S Hook
Loading Capacity 1,200lbs



RT11-1512W2NK

1" x 12' Straps
with Coated S Hook + Keeper
Loading Capacity 1,200lbs



RT13B-612W2F

1" x 6' Straps
with Coated S Hook
Loading Capacity 1,000lbs



Package:

1. 2pcs Set in a Polybag with Head Card
2. 2pcs Set in a Clamshell / Double Blister Card
3. 2pcs Set in a Plastic Back Board with Display Sticker
4. 4pcs Set in a Clamshell /Double Blistercard
5. 4pcs Set in a Plastic Back Board, with Display Card
6. Add Your Logo is a Available with Mini Qty by 2500 Sets



Motorcycle Tie Down Straps

RB

2" Straps



RT06CT28-8C
8pcs set, 2"x 6'
Loading Capacity 2000lbs



CT11RT06CT28-8C
8pcs set, 2"x 6'
Loading Capacity 2000lbs



RT06CT28-M3-8C
8pcs set, 2"x 6'
Loading Capacity 2500lbs



CT11RT06CT28-M3-8C
8pcs set, 2"x 6'
Loading Capacity 2500lbs



CT02RT11CT28-8C
8pcs set, 1"x 6'
Loading Capacity 1200lbs



RT11-4C
4pcs set, 1"x 6'
Loading Capacity 1200lbs



CT02-4C
4pcs set, 1"x 6'
Loading Capacity 1200lbs



CT02RT11-4C
4pcs set, 1"x 6'
Loading Capacity 1200lbs

In A Headcard

CT28-18-4C
18", 4 PCs Set



CT28-2C 18"
Soft Tie
2 PCs Pack



CT02-2HC
Tie Down 1"
Cambuckle Straps
6'/1.8m, 2 PCs Pack



1" Utility Straps

RB

For Motorcycle, Boat, Pickup, etc..



RT10-1206W3



RT10-1206W2



RT13-512-2C



CT02-606W2



CT02-606W3



CT02-506-2C

Item No.	Description	Breaking Strength
RT10-1206W3	Ratchet w/Wire Hook and Ring	2,500lbs/1,135kgs X 6'1.8M
RT10-1212W3	Ratchet w/Wire Hook and Ring	2,500lbs/1,135kgs X 12'3.65M
RT10-1216W3	Ratchet w/Wire Hook and Ring	2,500lbs/1,135kgs X 16'74.85M
RT10-1206W2	Ratchet w/Vinyl S Hook	2,500lbs/1,135kgs X 6'1.8M
RT10-1212W2	Ratchet w/Vinyl S Hook	2,500lbs/1,135kgs X 12'3.65M
RT10-1216W2	Ratchet w/Vinyl S Hook	2,500lbs/1,135kgs X 16'74.85M
CT02-606W2	Cam Buckle w/Vinyl S Hook	1,200lbs/545 kgs X 6'1.8M
CT02-612W2	Cam Buckle w/Vinyl S Hook	1,500lbs/680 kgs X 12'3.65M
CT02-606W3	Cam Buckle w/Double J Hook	1,200lbs/545 kgs X 6'1.8M
CT02-612W3	Cam Buckle w/Double J Hook	1,500lbs/680 kgs X 12'3.65M
RT13-512-2C	Ratchet Tie Down	500kgs X 12'3.65M, 2 pcs/set
RT13-512-4C	Ratchet Tie Down	500kgs X 12'3.65M, 4 pcs/set
CT02-506-2C	Cam Buckle Tie Down	500kgs X 6'1.8M, 2 pcs/set
CT02-506-4C	Cam Buckle Tie Down	500kgs X 6'1.8M, 4 pcs/set

* All Straps have a 6" fixed end as standard.

* 2pcs per pack for Motorcycle & Boat use.

1-3/4" / 45 mm Logistic Straps



OT16-12M23Y



* RB11 - Alternative ratchet buckle
1" x 3000 Lbs is available.

Item No.	Description	Breaking Strength	Webbing
OT16-12M23Y	Overcenter Buckle Tie Down, Yellow	4,500lbs/2,045kgs X 12'3.65M	Yellow
OT16-16M23G	Overcenter Buckle Tie Down, Grey	4,500lbs/2,045kgs X 16'74.85M	Grey
OT16-20M23B	Overcenter Buckle Tie Down, Blue	4,500lbs/2,045kgs X 20'6M	Blue

* All Straps have a 4" fixed end as standard.

6" Rope Tie-Offs

Door Pulls



CT23-6W28Y



CT25-6W28G



VT46-18 18"
Black



VT46-32 32"
Black

Item No.	Description	Breaking Strength	Working Load Limited
CT23-6W28Y	2" Rope Tie-Offs, Length: 6"	2,500lbs/1,350kgs	845lbs/380kgs
CT25-6W28G	2" Rope Tie-Offs, Length: 6"	1,250lbs/570kgs	420lbs/195kgs
VT46-18	Door Pulls, 2"x18"		
VT46-32	Door Pulls, 2"x32"		
VT47-18	Door Pulls, 2"x18"		

* Different color straps are available on request.


* Working Load Limited Is 1/3 Of Breaking Strength.

2" Ratchet Straps, Heavy Duty

RB



RT01C-527-M11N



RT01C-527-W5



RT04C-527-M11N



RT04C-527-W5



RT02C-527-M11N



RT02C-527-W5

RT02C-527-M11N		RT02C-527-W5	
Item No.	Description	Assembly Breaking Strength	Working Load Limited
RT01C-527-M11N	2" Ratchet Straps, w/Black Flat Hook	10,000lbs X 27'8M	3,335lbs/1,515kgs
RT01C-530-M11N	2" Ratchet Straps, w/Black Flat Hook	10,000lbs X 30'9M	3,335lbs/1,515kgs
RT01C-527-W5	2" Ratchet Straps, w/Wire J Hook	10,000lbs X 27'8M	3,335lbs/1,515kgs
RT01C-530-W5	2" Ratchet Straps, w/Wire J Hook	10,000lbs X 30'9M	3,335lbs/1,515kgs
RT04C-527-M11N	2" Ratchet Straps, w/Black Flat Hook	10,000lbs X 27'8M	3,335lbs/1,515kgs
RT04C-530-M11N	2" Ratchet Straps, w/Black Flat Hook	10,000lbs X 30'9M	3,335lbs/1,515kgs
RT04C-527-W5	2" Ratchet Straps, w/Wire J Hook	10,000lbs X 27'8M	3,335lbs/1,515kgs
RT04C-530-W5	2" Ratchet Straps, w/Wire J Hook	10,000lbs X 30'9M	3,335lbs/1,515kgs
RT02C-527-M11N	2" Ratchet Straps, w/Black Flat Hook	10,000lbs X 27'8M	3,335lbs/1,515kgs
RT02C-530-M11N	2" Ratchet Straps, w/Black Flat Hook	10,000lbs X 30'9M	3,335lbs/1,515kgs
RT02C-527-W5	2" Ratchet Straps, w/Wire J Hook	10,000lbs X 27'8M	3,335lbs/1,515kgs
RT02C-530-W5	2" Ratchet Straps, w/Wire J Hook	10,000lbs X 30'9M	3,335lbs/1,515kgs

* All ratchet straps are labeled to meet CVSA guideline, DOT regulations & CHP North American recommended standard Working Load Limited is 1/3 of Breaking Strength.

* All Straps have 12" / 30 cm fixed end as standard, except special order.

1-1/2" / 35 mm Ratchet Strap

Item No.	Description	Assembly Breaking Strength
RT03C-320W14	1 1/2" Ratchet Strap, w/Wire J Hook	5,000lbs/2,500kgs x 20'6M



RT03C-320

Work Load Limited is 1/3 of Breaking Strength

3" & 4" Ratchet Straps, Extra HD

RB

3" Ratchet Straps



RT20R-1527-M12N
RT20R-1530-M12N



RT20R-1527-F90
RT20R-1530-F90



RT20R-1527-F87
RT20-1530-F87



RT20R-1527-W21 8M
RT20R-1530-W21 9m

4" Ratchet Straps



RT21R-1527-M12N
RT21R-1530-M12N



RT21R-1527-W21
RT21R-1530-W21

Item No.	Description	Assembly Breaking Strength	Working Load Limited
RT20R-1527-M12N	3" Ratchet Straps w/Black Flat Hook	15,000lbs X 27'8M	5,000lbs/2,270kgs
RT20R-1530-M12N	3" Ratchet Straps w/Black Flat Hook	15,000lbs X 30'9M	5,000lbs/2,270kgs
RT20R-1527-F87	3" Ratchet Straps w/Chain Anchor	16,200lbs X 27'8M	5,400lbs/2,450kgs
RT20R-1530-F87	3" Ratchet Straps w/Chain Anchor	16,200lbs X 30'9M	5,400lbs/2,450kgs
RT20R-1527-F90	3" Ratchet Straps w/Grab Hook	16,200lbs X 27'8M	5,400lbs/2,450kgs
RT20R-1530-F90	3" Ratchet Straps w/Grab Hook	16,200lbs X 30'9M	5,400lbs/2,450kgs
RT21R-1527-M12N	4" Ratchet Straps w/Black Flat Hook	15,000lbs X 27'8M	5,000lbs/2,270kgs
RT21R-1530-M12N	4" Ratchet Straps w/Black Flat Hook	15,000lbs X 30'9M	5,000lbs/2,270kgs
RT21R-1527-W21	4" Ratchet Straps w/Wire J Hook	15,000lbs X 27'8M	5,000lbs/2,270kgs
RT21R-1530-W21	4" Ratchet Straps w/Wire J Hook	15,000lbs X 30'9M	5,000lbs/2,270kgs

* All ratchet straps are labeled to meet CVSA guideline, DOT regulations & CHP North American recommended standard Working Load Limited is 1/3 of Breaking Strength.

* All Straps have 18" / 45 cm fixed end as standard, except special order.


Truck Winch Straps 3" & 4"

RB

50mm/2" Winch Strap
TWS21-8M 8M/27Ft
TWS21-9M 9M/30Ft



TWS31-27M12N
TWS41-27M12N



TWS33-27F87
TWS33-27F87



TWS32-27F94
TWS42-27F94



TWS43-27L
TWS33-27L

Item No.	Description	Breaking Strength	Working Load Limited
TWS31-27M12N	3" Truck Winch Straps w/Flat Hook	15,000lbs X 27'8M	5,000lbs/2,270kgs
TWS31-30M12N	3" Truck Winch Straps w/Flat Hook	15,000lbs X 30'9M	5,000lbs/2,270kgs
TWS41-27M12N	4" Truck Winch Straps w/Flat Hook	15,000lbs X 27'8M	5,000lbs/2,270kgs
TWS41-30M12N	4" Truck Winch Straps w/Flat Hook	15,000lbs X 30'9M	5,000lbs/2,270kgs
TWS32-27F94	3" Truck Winch Straps w/Delta Hook	15,000lbs X 27'8M	5,000lbs/2,270kgs
TWS32-30F94	3" Truck Winch Straps w/Delta Hook	15,000lbs X 30'9M	5,000lbs/2,270kgs
TWS42-27F94	4" Truck Winch Straps w/Delta Hook	15,000lbs X 27'8M	5,000lbs/2,270kgs
TWS42-30F94	4" Truck Winch Straps w/Delta Hook	15,000lbs X 30'9M	5,000lbs/2,270kgs
TWS33-27F87	3" Truck Winch Straps w/Anchor Chain	15,000lbs X 27'8M	5,000lbs/2,270kgs
TWS33-30F87	3" Truck Winch Straps w/Anchor Chain	15,000lbs X 30'9M	5,000lbs/2,270kgs
TWS43-27F87	4" Truck Winch Straps w/Anchor Chain	15,000lbs X 27'8M	5,000lbs/2,270kgs
TWS43-30F87	4" Truck Winch Straps w/Anchor Chain	15,000lbs X 30'9M	5,000lbs/2,270kgs
TWS34-27	3" Truck Winch Straps w/Loop End	15,000lbs X 27'8M	5,000lbs/2,270kgs
TWS34-30	3" Truck Winch Straps w/Loop End	15,000lbs X 30'9M	5,000lbs/2,270kgs
TWS44-27	4" Truck Winch Straps w/Loop End	15,000lbs X 27'8M	5,000lbs/2,270kgs
TWS44-30	4" Truck Winch Straps w/Loop End	15,000lbs X 30'9M	5,000lbs/2,270kgs

Energy Two Rope



TR07H-10



ETS04H-15


Item No.	Description	Breaking Strength
TR07H-10	Energy Two Rope, dia. 5/8"	6,800lbs X 10'3.5M
TR07-13	Energy Two Rope, dia. 3/4"	8,700lbs X 13'4M
TR07-16	Energy Two Rope, dia. 5/8"	6,800lbs X 16'5M
TR07-18	Energy Two Rope, dia. 7/8"	12,000lbs X 18'6M
ETS04H-15	Energy Two Rope, 2"	10,000lbs X 15'4.5M
ETS04H-20	Energy Two Rope, 2"	10,000lbs X 20'6M
ETS04H-30	Energy Two Rope, 2"	10,000lbs X 30'9M

Tow Ropes & Straps

RB

Bungee Elastic Tow Straps

ITEM NO.	WIDTH	LENGTH	KGS/LBS	END
ETS425L	2.5"	4M\2FT	4,000/8,800	LOOP
ETS425H	2.5"	4M\2FT	4,000/8,800	HOOK
ETS416L	1.6"	4M\2FT	2,000/4,000	LOOP
ETS416H	1.6"	4M\2FT	2,000/4,000	HOOK
ETS412H	1.2"	4M\2FT	1,450/3,000	HOOK




Emergency Tow Ropes, Braided P.P Rope, Hook End

ITEM NO.	DIA	LENGTH	B/S KGS/LBS
TR01H-01	5/8"	14FT/4M	2,000/4,500
TR01H-02	7/8"	20FT/6M	4,500/10,000
TR02H	7/8"	1.5-4M	2,000/4,500 ELASTIC
TR05H	7/8"	16FT/5M	2,000/4,500
TR06H	3/4"	16FT/5M	2,000/4,500

Tow Straps

ITEM NO.	WIDTH	LENGTH	KGS/LBS	END
TS04L-01	1-1/2"	10FT\3.5M	2,500/5,000	LOOP
TS04L-02	1-1/2"	16FT\6M	2,500/5,000	LOOP
TS04L-03	2"	20FT\6M	4,000/8,000	LOOP
TS04H-01	1-1/2"	10FT\3.5M	2,500/5,000	HOOP
TS04H-02	1-1/2"	16FT\6M	2,500/5,000	HOOP
TS04H-03	2"	20FT\6M	4,000/8,000	HOOP



Belt Cargo Nets

RB

Interior Van Custom Net & Straps. Standard End Fitting Fit E & A Track.

Pan Guide's Cargo Nets Are Made To Each Customer's Exacting Specifications And Provide Durable And Reliable Load Security or Separation For Flatbed, Interior Van Trailer And A Variety Of Cargo Restraint Applications.

Every Pan Guide's Cargo Nets Is Manufactured Consistently And Efficiently To Ensure Optimum Quality And Customer's Satisfaction.

Hardware For Cargo Nets.



BCN-01

Custom Size Is Available .



Pan Guide nets are made of FLAT 2" WEBBING, which gives a smooth and gentle handling to delicate goods.

P/N:	Size:	Mesh Size:	Rated Capacity W.L.L:
BCN02-1042	10Ft x 10Ft (3.0 x 3.0m)	4"	2T/5000lbs
BCN02-1242	12Ft x 12Ft (3.6 x 3.6m)	4"	3T/6600lbs

Cargo Nets



BCN-02


Pre-Slung Cargo



BCN-03



Cargo Net For Truck



CN201-23 Cargo Net For Truck
2Mx3M~3.5Mx8M, Mesh 2mm, 2.5mm, 3mm


*Custom Size is Available

Lifting Delta Ring

RB




Male




Female




Female




LDR101-1230




LDR101-1280




LDR106-22120




LDR106-22200




LDR102-1450




LDR102-1494




LDR107-25170




LDR107-25240




LDR103-1668




LDR103-16110




LDR108-28180




LDR108-28284




LDR104-1890




LDR104-18140




LDR109-32240




LDR109-32370




LDR105-20106



LDR105-20160



LDR110-35330



LDR110-35424

Racing Belt & Hardware

RB



RE215-3



RE101P



RE104



RE306-2



RE303B-205D



MH42-752



RE509



RE513



RE214-245




RE229-50



RE208-75



RE219K-3



CN101-2418

CT101-2424



WTS05-M11



RT35-1935



WTS11-M16



RT41A-24 36



RT42-6 8 10



RT50-24 36